

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services - Agricultural Marketing Department - Allegation of irregularities in Engineering Wing of State Agriculture Marketing Department in Ananthapur District - Departmental Proceedings against Sri.P.Vishwanath Reddy, Executive Engineer, Kadapa under Rule 20 of APCS (CCA) Rules 1991 - Article of Charges - Issued.

AGRICULTURE & COOPERATION (VIG.II) DEPARTMENT

Go.Rt.No: 1380

Dated: 22ND NOVEMBER, 2013

O R D E R:-

It is proposed to hold an enquiry against Sri.P.Viswanath Reddy, Executive Engineer, Kadapa in accordance with the procedure laid down in Rule 20 of A.P.C.S.(CCA) Rules 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of Article of Charges (Annexure - I). A list of documents by which and a list of witnesses by whom the article of charge is proposed to be sustained are also enclosed (Annexure - II & III).

3. Sri.P.Viswanath Reddy, Executive Engineer, Kadapa is directed to submit within 15 days of the receipt of this order, a written statement of his defence.

4. Sri.P.Viswanath Reddy, Executive Engineer, Kadapa is further informed that an enquiry will be held only if the article of charge is not admitted. He should, therefore, specifically admit or deny the article of charge.

5. Sri.P.Viswanath Reddy, Executive Engineer, Kadapa is further informed that if he does not submit his written statement of defence on or before the date specified in Para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of APCS(CCA) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. The attention of Sri P.Viswanath Reddy, Executive Engineer, Kadapa is invited to Rule 24 of the A.P.C.S (Conduct) Rules 1964 under which no Government servant shall bring or attempt to bring any political or out side influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that Sri P. Viswanath Reddy, Executive Engineer, Kadapa is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P.C.S. Conduct Rules 1964.

.....2.

// 2 //

7. The receipt of the G.O. may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.D.SREENIVASULU,
PRINCIPAL SECRETARY TO GOVERNMENT(AMC)

To
Sri. P.Viswanath Reddy, Executive Engineer, Kadapa (Through C & DoAM,
Hyderabad).
Copy to:
The Commissioner & Director of Agricultural Marketing, A.P., Hyderabad.
Sf/Sc.

// FORWARDED :: BY ORDER //

SECTION OFFICER

(Contd. for Annexure-I,II & III)

ANNEXURE – I

Statement of Article of Charges framed against Sri. P.Viswanath Reddy, Executive Engineer, Kadapa.

Article of Charge: That Sri.P. Viswanath Reddy, Executive Engineer, Kadapa while working as Executive Engineer, Kadapa during the years 2008-09 and 2009-10 has committed following irregularities in execution of the works in Ananthapur District.

1. Allowing and making payments to substandard quality CC pavements resulting into less strengths, less thickness thereby necessitating rejection of pavements & recoveries.
2. Allowing payments without proper quality checks.
3. Check - measuring only two works out of 23 works verified by the V & E officials.

Thus it shows he clearly violated the rules/ procedures. It shows negligence towards his official duties. Thus he violated the conduct rules.

Basis : In the Vigilance Report No.72(438/V&E/E1/2010-ATP) Dated:28.06.2013, Director General Vigilance & Enforcement & E.O. Prl. Secy to Govt has noticed certain irregularities in execution of the works in the Ananthapur District and recommended to initiate disciplinary action against Sri.P.Viswanath Reddy, Executive Engineer, Kadapa for the following irregularities.

1. Allowing and making payments to substandard quality CC pavements resulting into less strengths, less thickness thereby necessitating rejection of pavements & recoveries.
2. Allowing payments without proper quality checks.
3. Check – measuring only two works out of 23 works verified by the V&E officials.

DR.D.SREENIVASULU,
PRINCIPAL SECRETARY TO GOVERNMENT(AMC)

To
Sri. P.Viswanath Reddy, Executive Engineer, Kadapa (Through C & DoAM, Hyderabad).

// FORWARDED :: BY ORDER //

SECTION OFFICER

Contd for Annexure -II

ANNEXURE - II

List of documents on the basis of which the Article of Charges framed against Sri. P. Viswanath Reddy, Executive Engineer, Kadapa.

Vigilance Report No.72(438/V&E/E1/2010 – ATP), Dt.28.06.2013 of the V&E Department.

DR.D.SREENIVASULU,
PRINCIPAL SECRETARY TO GOVERNMENT(AMC)

To
Sri. P.Viswanath Reddy, Executive Engineer, Kadapa (Through C & DoAM, Hyderabad).

// FORWARDED :: BY ORDER //

SECTION OFFICER

ANNEXURE - III

List of witness by whom the Article of Charges framed against Sri.P.Viswanath Reddy, Executive Engineer, Kadapa.

Nil.

DR.D.SREENIVASULU,
PRINCIPAL SECRETARY TO GOVERNMENT(AMC)

To
Sri. P.Viswanath Reddy, Executive Engineer, Kadapa (Through C & DoAM, Hyderabad).

// FORWARDED :: BY ORDER //

SECTION OFFICER